

---

**From:** White, Julia W [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D92F33E7D43E44A9B15D6EC92E2348CB-JWBUCKNER]  
**Sent:** 3/8/2018 4:33:53 PM  
**To:** Heyl, Douglas [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=648eceacc8174ef68495e6b92d969f97-dheyli]  
**Subject:** RE: ACP revised plan disapproval

Thank you.

---

**From:** Heyl, Douglas  
**Sent:** Thursday, March 8, 2018 3:59 PM  
**To:** White, Julia W <Julia.white@nc.gov>  
**Subject:** FW: ACP revised plan disapproval

FYI

Doug Heyl  
North Carolina Department of Environmental Quality  
919.707.9034 (Office)  
919.812.3415 (Mobile)  
[douglas.hey@ncdenr.gov](mailto:douglas.hey@ncdenr.gov)



*Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.*

---

**From:** Holman, Sheila  
**Sent:** Thursday, March 08, 2018 3:35 PM  
**To:** Heyl, Douglas <[Douglas.Heyl@ncdenr.gov](mailto:Douglas.Heyl@ncdenr.gov)>  
**Subject:** Fwd: ACP revised plan disapproval

FYI

Sent from my iPhone

Begin forwarded message:

**From:** "Denton, Bill" <[bill.denton@ncdenr.gov](mailto:bill.denton@ncdenr.gov)>  
**Date:** March 8, 2018 at 3:30:16 PM EST  
**To:** "Munger, Bridget" <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)>, "Vinson, Toby" <[toby.vinson@ncdenr.gov](mailto:toby.vinson@ncdenr.gov)>, "Holman, Sheila" <[sheila.holman@ncdenr.gov](mailto:sheila.holman@ncdenr.gov)>  
**Cc:** "Coco, Julie" <[julie.coco@ncdenr.gov](mailto:julie.coco@ncdenr.gov)>, "Castle, Sally Y" <[sally.castle@ncdenr.gov](mailto:sally.castle@ncdenr.gov)>, "LaBounty, Tim L" <[tim.labounty@ncdenr.gov](mailto:tim.labounty@ncdenr.gov)>  
**Subject:** RE: ACP revised plan disapproval

All:

Please reference the attached Letter of Disapproval of the recent revised submittal for the ACP project. This does not negate the previously issued Letter of Approval dated Feb. 1, but is merely

requiring some additional clarification with regard to some proposed tweaks to the existing alignment. This revision was submitted along with a new contractor laydown yard. We are having them split the two projects up. See attached Outlook items for more background information.

To meet our statutory deadline, the letter should go out by tomorrow. The final draft disapproval letter is also attached for reference. Thanks.

- Bill

**William H. Denton, IV, PE**

Regional Engineer – RRO

Division of Energy, Mineral, and Land Resources – Land Quality Section

Department of Environmental Quality

919 791 4200 office

[bill.denton@ncdenr.gov](mailto:bill.denton@ncdenr.gov)

1628 Mail Service Center, Raleigh, North Carolina 27699